

CERTIFICATE OF ANALYSIS

Date: 22/02/2025

Name of the Product	AOPL 504 (STYRENE AND ACRYLATE CO-POLYMER EMULSION STABILIZED WITH EMULSIFIER SOLID CONTENTS 50% +/- 1%)	
Date of Manufacturing	MFG.FEB.2025	EXPIRY JAN. 2026
Batch No.	3501	(DRUM NO.1/80 – 80/80)
Date of Dispatch	24 /02/2025	
Customer Name	LANKEM CEYLON PLC	

TEST	STANDARD SPECIFICATION	ANALYSIS
Appearance	Milky White Bluish	Milky White Bluish
Solid Content, weight % at 30°C	50±1	49.25
Viscosity by Brookfield at 30°C Spindle No.4x10 rpm	9000 To 15000 CPS	13500 CPS
PH	7 To 9	8.92
Film surface (200µ WFT)	Clear	Clear
Tack	Tack Free	Tack Free

Tested By: AMBANI ORGOCHEM LIMITED

AUTHORISED SIGNATORY

Quality Assurance: AMBANI ORGOCHEM LIMITED

AUTHORISED SIGNATORY

Factory : Tarapur, Maharashtra • Dahej, Gujarat
R&D Lab : Tarapur, Maharashtra

Website : www.ambaniorgochem.com CIN : L24220MH1985PLC036774
ISO : 9001 : 2015 / ISO : 14001 : 2015 / ISO 45001 : 2018 Certified



Regd. Off. : N44, MIDC, Tarapur, Boisar - 401506. Maharashtra

